



WELCOME to the

PEP Talk: HIV Post Exposure Prophylaxis
ECHO

About the AETC Program:

A national program of leading HIV experts, provides locally based, tailored education and technical assistance to healthcare teams and systems to integrate comprehensive care for those living with or affected by HIV.

The AETC Program transforms HIV care by building the capacity to provide accessible, high-quality treatment and services throughout the United States and its territories.

AETC Program Mission:

To increase the number of health care providers who are effectively educated and motivated to counsel, diagnose, treat, and medically manage people with HIV disease, and to help prevent high-risk behaviors that lead to HIV transmission.

Acknowledgement

This presentation is supported by Award # TR7HA53199 from the **Ryan White HIV/AIDS Program Part F AIDS Education and Training Center (AETC) Program**, Health Resources and Services Administration (HRSA), Department of Health and Human Services (HHS). The contents are those of the author(s) and do not necessarily represent the official views of, nor an endorsement, by HRSA, HHS, or the U.S. Government. Any trade/brand names for products mentioned during this presentation are for training and identification purposes only.

Series Learning Objectives

- Manage HIV PEP for individuals at risk for HIV infection in accordance with current clinical guidelines.
- Describe the psychosocial, legal, and financial components of providing holistic care to those at risk for HIV infection.
- Identify state and national resources available to support providers

Schedule

Date	Session Title
4/7/2026	<u>nPEP background and introduction</u>
4/21/2026	<u>Adult physical and psychosocial assessment</u>
5/5/2026	Pediatric physical and psychosocial assessment
5/19/2026	Trauma informed care
6/2/2026	Medical management
6/16/2026	Follow up testing
6/30/2026	Processing vicarious trauma



nPEP Background and Introduction

Antonia Altomare, DO, MPH

Content warning: Sexual Assault

What is nPEP?

- Non-occupational post-exposure prophylaxis (nPEP)
 - Antiretroviral medication (and other care) given after sexual, injection drug use, or other non-occupational exposure to HIV
- Occupational post-exposure prophylaxis (oPEP)
 - Healthcare workers, first responders...who are exposed to HIV through needlesticks or splashes with certain body fluids
 - Same medication management but different population and separate guidelines (not discussed here)

HIV (human immunodeficiency virus)

- Virus that attacks the immune system and can lead to AIDS if not treated
- Spreads via blood and certain body fluids
- Most people get infected through sex, sharing needles or drug injection equipment
- No cure
- No vaccine

More tools than ever are **available** to **prevent HIV**.



Table 1.

Estimated Per-Act Probability of Acquiring HIV from an Infected Source, by Exposure Act*

Exposure Type	Rate for HIV Acquisition per 10,000 Exposures
Parenteral	
Blood transfusion	9,250
Needle sharing during injection drug use	63
Percutaneous (needlestick)	23
Sexual	
Receptive anal intercourse	138
Insertive anal intercourse	11
Receptive penile-vaginal intercourse	8
Insertive penile-vaginal intercourse	4
Receptive oral intercourse	Low
Insertive oral intercourse	Low
Other[^]	
Biting	Negligible
Spitting	Negligible
Throwing body fluids (including semen or saliva)	Negligible
Sharing sex toys	Negligible


*Factors that may increase the risk of HIV transmission include sexually transmitted infections, acute and late-stage HIV, and high plasma HIV RNA levels. Factors that may decrease the risk include condom use, male circumcision, antiretroviral treatment, and HIV preexposure prophylaxis (PrEP). None of these factors are accounted for in the estimates presented in the table.

[^]HIV transmission through these exposure routes is technically possible but unlikely and not well documented.


Source: Dominguez KL, Smith DK, Thomas V, et al. Updated guidelines for antiretroviral postexposure prophylaxis after sexual, injection drug use, or other nonoccupational exposure to HIV—United States, 2016. Atlanta, GA: US Department of Health and Human Services, CDC; 2016. [CDC [link](#)]

Estimated HIV infections in the US by transmission category, 2022


There were **31,800** estimated new HIV infections in the US in 2022. Of those:



were among gay, bisexual, and other men who reported male-to-male sexual contact*



were among people who reported heterosexual contact



were among people who inject drugs

* Includes infections attributed to male-to-male sexual contact *and* injection drug use (men who reported both risk factors).

Source: CDC. Estimated HIV incidence and prevalence in the United States, 2018–2022. *HIV Surveillance Supplemental Report*, 2024; 29(1).


Ending
the
HIV
Epidemic

Overall Goal: Decrease the estimated number of new HIV infections to 9,300 by 2025 and 3,000 by 2030.




HIV diagnoses in the US and 6 territories and freely associated states for the most-affected subpopulations, 2022*†

Gay and bisexual men are the population most affected by HIV.



HIV diagnoses in the US and 6 territories and freely associated states by age, 2022

In 2022, 37,981 people received an HIV diagnosis in the US and 6 territories and freely associated states. People aged 13 to 34 accounted for more than half (56%) of new HIV diagnoses in 2022.




Source: CDC. Diagnoses, deaths, and prevalence of HIV in the United States and 6 territories and freely associated states, 2022. *HIV Surveillance Report*, 2022;35.

Knowledge of HIV status in the US, 2022*



In 2022, an estimated
1.2 million people had HIV.

For every 100 people with HIV



87
knew their
HIV status.

* Among people aged 13 and older.

Source: CDC. Estimated HIV incidence and prevalence in the United States, 2018–2022. *HIV Surveillance Supplemental Report*, 2024; 29(1).


Ending
the
HIV
Epidemic

Overall Goal: Increase the estimated percentage of people with HIV who have received an HIV diagnosis to at least 95% by 2025 and remain at 95% by 2030.



HIV care continuum among people with diagnosed HIV in 48 states and the District of Columbia, 2022*

More than half of people with diagnosed HIV are virally suppressed. For every **100 people overall with diagnosed HIV:**



* Among people aged 13 and older.

†At least 1 viral load or CD4 test.

‡Had 2 viral load or CD4 tests at least 3 months apart in a year.

**Based on most recent viral load test.

Source: CDC. Monitoring selected national HIV prevention and care objectives by using HIV surveillance data—United States and 6 territories and freely associated states, 2022. *HIV Surveillance Supplemental Report 2024;29(2)*.

Ending
the
HIV
Epidemic

Overall Goal: Increase the percentage of people with diagnosed HIV who are virally suppressed to at least 95% by 2025 and remain at 95% by 2030.



U=U

undetectable = untransmittable

Why is HIV nPEP important?

It is one of several strategies used to prevent the spread of HIV and end the HIV epidemic, and timing is everything!

Ending
the
HIV
Epidemic



Diagnose all people with HIV as early as possible.



Treat people with HIV rapidly and effectively to reach sustained viral suppression.




Prevent new HIV transmissions by using proven interventions, including PrEP and syringe services programs (SSPs).



Respond quickly to potential HIV outbreaks to get needed prevention and treatment services to people who need them.

How are we doing?

Figure. HIV PEP and PrEP Prescription Trends in the United States, 2013-2022



Persons aged ≥ 16 years

Annual PEP rx ranged from 13,999-17,996

2022 PEP user data

- 51.2% women
- 60.1% age 25-44

EAPC = estimated annual percentage change

Assumptions and Limitations

- “Due to ethical and logistical reasons, it is highly unlikely that a prospective, randomized, placebo-controlled trial to evaluate HIV nonoccupational PEP in humans will ever take place.”
- Rationale for providing HIV nPEP is based on extrapolation from
 - HIV PEP in other settings
 - Animal studies
 - Retrospective reviews
 - Observational HIV nonoccupational PEP reports
 - Expert opinion

HIV PEP Guidance

- 1997 oPEP was recognized to be safe and effective (81% reduction in HIV if given within 4 hours of exposure) and CDC issued guidance for oPEP, which was recently update in 2025 ([oPEP Guidelines](#))
- 2005 CDC extended these recommendations to the nonoccupational setting and this has since been updated in 2016 and 2025
 - [Antiretroviral Postexposure Prophylaxis After Sexual, Injection Drug Use, or Other Nonoccupational Exposure to HIV — CDC Recommendations, United States, 2025 | MMWR](#)

HIV nPEP Big Picture

- nPEP is recommended following exposure that has substantial risk for HIV acquisition
- Start nPEP ASAP after exposure (optimally within 24 hours and no later than 72 hours)
- 28-day course of 3-drug antiretroviral therapy
- Safe, effective and well tolerated
- Baseline and follow up testing required to rule out infection
- Consider transition to PrEP (pre-exposure prophylaxis)

Other infectious considerations

- Hepatitis B
- Hepatitis C
- Gonorrhea
- Chlamydia
- Syphilis
- Trichomonas
- HPV



Hepatitis B


- Virus that infects the liver
- Transmitted through exposure to infectious blood or body fluids
- 100x more infectious than HIV
- Vaccine preventable
- No cure
- Post-exposure interventions available

Reported cases of hepatitis B in 2023

2,214

In 2023, a total of 2,214 cases of hepatitis B were reported in the US, but experts estimate the actual number is likely around 14,400.

- Highest rate of infection
 - Persons aged 40-59 years
 - Non-Hispanic Black
 - Eastern and Southeastern states



Hepatitis C

- Virus that infects the liver
- Transmitted through exposure to infectious blood or body fluids that contain blood
- 10x more infectious than HIV
- Curative treatment available
- No vaccine or other preventive options

Reported cases of hepatitis C in 2023

4,966

In 2023, there were 4,966 reported cases of acute hepatitis C, but CDC believes the actual number of acute hepatitis C cases in 2023 was probably closer to 69,000.

- 2.4 to 4 million people had Hepatitis C in the US (2017-2020)
- Rates of acute hepatitis C highest among males, those aged 30-39 years, non-Hispanic American Indian/Alaska Natives, and those living in the Eastern and Southeastern states
- Most common risk factor was injection drug use



WELCOME to the

PEP Talk: HIV Post Exposure Prophylaxis
ECHO

Session 2, Adult Physical and Psychosocial Assessment,
April 21, 2026



Forensic Nursing Overview For Infectious Disease

JANET CARROLL RN, CEN, SANE-A, SANE-P
NH SANE PROGRAM DIRECTOR

What is a Forensic Nurse?



Sexual Assault Nurse Examiner (SANE)

- An RN who:
 - Has been specially trained to provide comprehensive care to sexual assault patients
 - Demonstrates competency in conducting a medical/forensic examination.
 - Has the potential ability to be an expert witness.
- Also called a Forensic Nurse Examiner (FNE) when caring for additional populations
- Other states: SAFE, ANE, etc

Possible SA Cases:



- Injury not consistent with history provided
- Found unresponsive without clothing on or found with others in the act of violence
- Genital or anal injury upon arrival without specific cause
- Overly controlling partner
- Bruising to inner thighs without explanation
- Family/Friend concerns
- Question of Drug-Facilitated Sexual Assault

Or they might present with:



- Patient may make statements of sexual assault:
 - ✦ Statements of full disclosure: “ I was raped last night”
 - ✦ “I feel like I had sex last night”
 - ✦ “I can only remember snippets of last night”
 - ✦ “I woke up without any clothes on” or “I woke naked in my car”
 - ✦ “My underwear is missing” or “My underwear is on backwards”
- EMS may state:
 - ✦ “We found her outside, she/he was half naked”
 - ✦ “When we got there, she was passed out and two guys were having sex with her”
 - ✦ “Something wasn’t right about this scene call....”
- There are many, many more things that may bring a patient in!
Remember to ask: What happened? Can you tell me more about that?

SANE Responsibilities



- Medical/forensic evaluation and treatment
- Evidence collection
- Documentation of injury or lack thereof
- Comprehension of what the findings mean
- The ability to testify to those findings as a fact or expert witness

Age Groups- Sexual Assault



- Adolescent/Adult
- Pediatric: Pts Under age 18
 - ✦ ED Visits
 - ✦ Child Abuse Clinics/Child Advocacy Centers
 - ✦ PCP Office

Medical Forensic Exams



- Screening and Health!
 - Long-term & Short-Term health consequences
 - ✦ Improved patient outcomes
 - Resources (hospital & community) available
 - Healthcare costs- decrease

Timeframes Matter




- Evidence Collection Kits:
 - Adolescents/Adults: 120 Hours
 - Pre-Pubescent: 96 hours, unless drugged (120 hours w/drugging)
- HIV Prophylaxis:
 - 72 hours
- Pregnancy Prophylaxis:
 - 120 Hours
- DFSA: Sooner is best



Evidence Collection





AFFIX
BIOHAZARD
STICKER
HERE

**STATE OF NEW HAMPSHIRE
SEXUAL ASSAULT EVIDENCE COLLECTION KIT**

JURISDICTION OF ASSAULT (TOWN, STATE): _____

PATIENT'S NAME (print): _____ D.O.B.: _____
(Replace with kit serial number for anonymous reports)

HOSPITAL: _____ DATE OF EXAM: _____

EXAMINER NAME (print): _____

EXAMINER SIGNATURE: _____

To be filled out by Lab Personnel or Law Enforcement

Check this box if anonymous kit was later converted to a known or reported case

Converted by: _____ Date: _____

CHAIN OF CUSTODY

I certify that I have received the following items (check those which apply):

One sealed evidence kit Sealed clothing bag (s) Number of bags _____

Urine Sample (on ice) Other _____

DATE: _____ TIME: _____ AM/PM

RECEIVED FROM: _____ ACCEPTED BY: _____

DATE: _____ TIME: _____ AM/PM

RECEIVED FROM: _____ ACCEPTED BY: _____

DATE: _____ TIME: _____ AM/PM

RECEIVED FROM: _____ ACCEPTED BY: _____

ALWAYS DELIVER THE KIT TO THE CRIME LABORATORY WITHOUT DELAY

Kit contains liquid blood sample, kit MUST BE refrigerated: yes no

Urine collected: yes no MUST ALWAYS FREEZE URINE

For questions about collection procedures, please see the State of New Hampshire Office of the Attorney General Sexual Assault: An Acute Care Protocol for Medical/Forensic Evaluation
<http://www.doj.nh.gov/criminal/victim-assistance/documents/acute-care-protocol.pdf>
For other information call the State Police Forensic Laboratory (603) 223-3854
TO REORDER KITS CALL: (603) 271-6817
Kits are provided free of charge by The State of New Hampshire Department Of Justice

EVERY Patient Should be **OFFERED** the Following:



- Documentation of the History of Event
- Comprehensive Physical Exam for Injury/Disease Identification.
 - Photography if requested
 - Pediatrics: Videography of ano-genital exam
- Prophylaxis Medications: (If appropriate)
 - Pregnancy
 - Sexually Transmitted Infections
 - HIV
- Crisis Center Advocate
- Mental Health Evaluation

Options of Medical Forensic Exams



- Sexual Assault:
 1. Eval without evidence collection
 2. Eval w/reported evidence collection
 3. Eval w/anonymous evidence collection
 - Not an option if a mandatory report

- All other forensic populations:
 - Eval with or w/o photography, evidence only if warranted

Mandatory Reporting Requirements of Healthcare Providers



1. Minors: CPS
2. Vulnerable Adults: APS
3. GSW & Serious Bodily Injury: Law Enforcement

*****NOTE:** Varies by state, however very similar!

The Incapacitated or Unable to Consent Patient:



- Policy in place
- Next of Kin: if possible
- Court order

DFSA: Drugged



- “date- rape” drugs: Rhoypnol, GHB, Ketamine, Ecstasy(MDMA), etc
 - ✦ What's the Biggest? Lets name a few!
- Signs:
 - Unexplained memory loss, or “memory flashes”
 - Statements of: “ I feel like I had sex, but I don’t remember it”, “ I normally drink, but this time was different”.
 - Missing clothes without explanation
 - Injuries with no memory of it
- Some drugs have a life span of 4 hours



Forensic Photography



- “one picture equals a thousand words”
- Are part of the MEDICAL RECORD, not the kit
- Photographs should not be taken in place of diagrams and written descriptions
- Serves to visually document the actual physical appearance of an injury to preserve it



Ano-Genital Images



- Will not release
 - Unless search warrant or other legal authorization
 - Serves mostly for peer review and secondary medical opinion
 - May be used for defense medical expert review

Strangulation



- Is now a FELONY
- NH SANE protocol: Tool for strangulation assessment and documentation.

STEP 12

**SEXUAL ASSAULT EVIDENCE
COLLECTION KIT INVENTORY FORM**

Patient Label:

Kit Number #: _____

Check collected or not collected as appropriate

	Collected	Not Collected	Form completed
Step 1: Authorization			Always complete
Step 2A: Medical/Forensic Report Form			Always complete
Step 2B: Medical/Forensic Report Form			Always complete
Step 3A: Blood Toxicology Sample *			
Step 3B: Urine Toxicology Sample *			
Step 4: Outer Clothing Number of Bags _____			
Step 5: Underpants/Diaper			
Step 6: Oral Swabs and Smear			
Step 7: DNA Sample/ Buccal Swabs			
Step 8: Foreign Material			
Step 8: Pubic Hair Combing*			
Step 9: Anal Swabs and Smear			
Step 10: External Genitalia/Penile Swabs			
Step 11: Vaginal/Cervical Swabs and Vaginal Smear *			
Step 12: Sexual Assault Evidence Collection Kit Inventory Form			Always complete
Step 13: Medical/Forensic Examination Forms			Always complete
Step 14: Patient Information Form			Always complete
Step 15: Patient Forms			
a. HIVnPEP Patient Information Form			Always when giving nPEP
b. Follow Up Examination Voucher Form			Give to PT
c. Sexual Assault Crisis Center List			Give to PT
d. NH Crime Victims Bill of Rights			Give to PT
e. Financial Assistance for Victims Card			Give to PT
Step 16: Postcard (Provider MUST complete and mail)			Always complete
Step 16A: Forensic Sexual Assault Examination Billing Form			Always complete
Additional Evidence: please list:			
Additional Evidence: please list:			

*Any step with an asterisk is NOT routinely required with a pre-pubertal child.

Date _____ Signature of Examiner _____

Retain for Medical Records



Sample Resource Papers



STEP 15A

HIV PROPHYLAXIS (HIVnPEP) PATIENT INFORMATION SHEET

You have been prescribed HIV post-exposure prophylaxis (PEP). These medicines can reduce the risk of becoming infected with HIV. The HIV nPEP medicines must be taken for a total of 28 days. Follow-up care from a nurse or doctor within 4-5 days is extremely important.

There are several important things that you need to know when starting th

IMPORTANT

- **THE HIV MEDICINES MUST BE TAKEN FOR A TOTAL**
- **YOU MUST FOLLOW UP WITH A NURSE OR DOCTOR STARTING THESE HIV MEDICATIONS**

Follow-up Care: Due to the potential side effects of this medication, you within **4-5 days**.

Please call _____ tomorrow to schedule an appointment (provider name) for you medications. **Bring this form with you to this appointment.**

OR

Your appointment has been scheduled for ____/____/____ (provider name). **Bring th appointment.**

Medication Refills: You were given a ____ day supply of me remainder to complete the 28-day course of medicine. You sho from _____

Taking your Medicine:

- **These medications need to be taken as directed.**
- It is important that you do not miss any doses. Missing doses will
- If you miss a dose, start taking again as soon as possible and make amount of time between doses.
- **NEVER** take more than the prescribed dose.
- **DO NOT STOP TAKING THE MEDICATION WITHOUT FIR. DOCTOR OR NURSE.**
- **CAUTION:** Keep medication away from children and pets.

Call your provider **IMMEDIATELY** if you experience rash, abdomin

GIVE TO PATIENT IF PRESCRIBED H

STEP 15B

SEXUAL ASSAULT MEDICAL/ FORENSIC FOLLOW-UP EXAMINATION VOUCHER FORM



New Hampshire Victims' Compensation Program
NH Department of Justice
33 Capitol Street
Concord, NH 03301
Tel: 603-271-1284
Fax: 603-271-1255
Email: victimcomp@doj.nh.gov

Billing Instructions for Health Care Providers:

The State of New Hampshire is responsible for paying for the forensic/medical examination of victims of sexual assault (M-9-c), as well as one follow-up visit with the medical provider of her/his choice, **paid at the fee for service Medicaid** patient presenting this follow-up visit voucher, should not be required to pay any out of pocket costs for the follow-up ex you are performing, and should not be billed for any costs over the Medicaid rate. **Please mail the original Voucher, also itemized bill, to the New Hampshire Victims' Compensation Program at the above address.**

For the Medical Provider: (This voucher is not valid unless the following information is completed.)

I, (Name of Patient) _____ voluntarily authorize the disclosure of billing information, inc name, date of birth, diagnosis and procedure codes. The information is to be disclosed by _____ (Name of Provider) _____ and is to be provided to the New Hampshire Victims' Compens Program at the NH Attorney General's Office, 33 Capitol Street, Concord, New Hampshire 03301. The purpose of this d verify patient information so that payment for treatment may be made.

The information to be disclosed from my health record is only information related to the care provided to me on _____ (Date) _____ and I understand that my Protected Health Information (PHI) may be re-disclosed and therefore no protected under the Privacy Rule. I understand that the Attorney General's Office will maintain the privacy of my PHI in with RSA 21-M:9-c and will not release it without additional authorization. I further understand that I have the right to re authorization in writing except to the extent that it has already been relied upon. The authorization is valid for one-year fr treatment date.

Authorized by: _____ Date: _____
(Patient Signature)

Witness: _____ Date: _____

Relationship to Patient: _____

For the Follow-up Provider: (Please complete the following information so that we can pay you promptly.)

Medical Provider: _____
Federal Employer Identification Number: _____
Remittance Address: _____

GIVE TO PATIENT

STEP 15C

NH DOMESTIC VIOLENCE and SEXUAL ASSAULT SUPPORT SERVICES

NEW HAMPSHIRE COALITION AGAINST DOMESTIC AND SEXUAL VIOLENCE
603-224-8893 (Office)

NH Domestic Violence Hotline: 1-866-644-3574
www.nhcdsv.org

Statewide Sexual Assault Hotline: 1-800-277-5570
Teen Web Site: www.reachouth.org

The New Hampshire Coalition is comprised of 13 programs throughout the state that provide services to survivors of sexual assault and domestic violence, stalking /or sexual harassment. You do not need to be in crisis to call. Services are free, confidential, and available to every one regardless of age, race, religion, sexual preference, class, or physical ability. The services include: 24-hour crisis line, emergency shelter and transportation, legal advocacy in obtaining restraining orders against abusers, hospital and court accompaniment, information about and help in obtaining public assistance.

RESPONSE to Sexual & Domestic Violence
54 Willow Street
Berlin, NH 03570
1-866-662-4220 (crisis line)
603-752-5679 (Berlin office)
603-636-1747 (Groveton office)
www.coosfamilyhealth.org/response

Turning Points Network
11 School Street
Claremont, NH 03743
1-800-639-3130 (crisis line)
603-543-0155 (fax Claremont office)
603-863-4053 (Newport office)
www.turningpointsnetwork.org

Crisis Center of Central New Hampshire (CCCNH)
PO Box 1344
Concord, NH 03302-1344
1-866-841-6229 (crisis line)
603-225-7376 (office)
www.cccnh.org

Starting Point: Services for Victims of Domestic & Sexual Violence
PO Box 1972
Conway, NH 03818
1-800-336-3795 (crisis line)
603-447-2494 (Conway office)
603-452-8014 (Southern Carroll County office)
www.startingpointnh.org

Sexual Harassment & Rape Prevention Program (SHARPP)
2 Petree Brook
Wolff House
Durham, NH 03824
1-888-271-SAFE (7233) (crisis line)
603-862-3494 (office)
www.unh.edu/sharpp

Monadnock Center for Violence Prevention
12 Court Street
Keene, NH 03431-3402
1-888-511-6287 (crisis line)
603-352-3782 (crisis line)
603-352-3782 (Keene office)
603-209-4015 (Peterborough)
www.mcvprevention.org

New Beginnings - Without Violence and Abuse
PO Box 622
Laconia, NH 03247
1-866-841-6247 (crisis line)
603-528-6511 (office)
www.newbeginningsnh.org

WISE
38 Bank Street
Lebanon, NH 03766
1-866-348-WISE (9473) (crisis line)
603-448-5525 (local crisis line)
603-448-5922 (office)
www.wisenh.org

The Support Center at Burch House
PO Box 965
Littleton, NH 03561
1-800-774-0544 (crisis line)
603-444-0624 (Littleton office)
www.tccap.org/support_center.htm

YWCA crisis Service
72 Concord Street
Manchester, NH 03101
603-668-2299 (crisis line)
603-625-5785 (Manchester office)
www.ywcahb.org

Bridges: Domestic & Sexual Violence Support
PO Box 217
Nashua, NH 03061-0217
603-883-3044 (crisis line)
603-889-0858 (Nashua office)
www.bridgenh.org

Voices Against Violence
PO Box 53
Plymouth, NH 03264
1-877-221-6176 (crisis line)
603-536-1659 (local crisis line)
603-536-5999 (public office)
603-536-3423 (shelter office)
www.voicesagainstviolence.net

HAVEN
20 International Drive, Suite 300
Portsmouth, NH 03801
603-994-SAFE (7233) (crisis line)
603-436-4107 (Portsmouth office)
(Offices in Portsmouth, Rochester and Salem)
www.havennh.org

For Military Personnel
NH National Guard Sexual Assault Response Coordinator (SARC):
603-856-6700

GIVE TO EVERY PATIENT

Sexual Assault: Prophylaxis



- Prophylaxis Options
 - Pregnancy
 - STI's- Dispensing
 - HIVnPEP

- Procedure

HIV Prophylaxis Coverage by State:



- Connecticut: Dispense minimum 3-5 days; Fill RX at Walgreens
- Maine: Dispensed 3–5 day supply & given Rx to fill. Barriers to accessing Rx at Pharmacy. Must bill insurance or pay out of pocket
- Massachusetts: Covered in Full, can now dispense directly from ED, all 28-day supply
- New Hampshire: Covered in Full, can dispense up to 28-day supply under Pharmacy Rule.
- Rhode Island: Covered in Full
- Vermont: Covered in Full, can dispense up to 28-day supply; have voucher form if Rx given.

Example: Billing Form

Victim Comp Auto Pays:

- Hospital Visit
- Prophylaxis Meds
- Assoc. Lab Testing
- First 24 hours of hosp.

STEP 16A

Hospital Label

STATE OF NEW HAMPSHIRE VICTIMS' COMPENSATION FORENSIC SEXUAL ASSAULT EXAMINATION BILLING FORM

_____ (name of patient or "anonymous") has been informed that the NH Victims' Compensation Program can provide payment for the examination, collection of evidence, and treatment related to this sexual assault visit; including HIV Post Exposure Prophylaxis, if necessary. It is the intent of this form to allow the patient to make an informed decision concerning the method of payment she/he chooses.

Please choose an option:

- _____ Patient does not have insurance that would cover this treatment.
- _____ Patient does have insurance or Medicaid which will be billed. Patient will not be charged for any co-payments or deductibles associated with this treatment.
- _____ Patient does have insurance that would cover this treatment but does not want insurance carrier billed.

This section must be completed by the SANE provider or treating physician:

Forensic Sexual Assault Examination Kit # _____ Patient's Account # _____

Patient's Date of Birth (REQUIRED) _____ RX (for HIV nPEP medications ONLY): _____

Were HIV nPEP medications dispensed in ED? Yes No # of days HIV nPEP medications dispensed: _____
(circle one)

The City/State/County where assault occurred: _____

(NH Victims' Compensation Program can only provide payment for assaults occurring in NH. If assault occurred in another state, please contact the Victims' Compensation Program of that state.)

HIV POST EXPOSURE PROPHYLAXIS PRESCRIPTION MEDICATIONS WILL BE PAID TO THE HOSPITAL/FACILITY AT MEDICAID RATE BY THE NH VICTIMS' COMPENSATION PROGRAM.

SANE or Attending Physician (please print) _____ Signature of SANE or Attending Physician _____ Telephone _____

Name of Facility _____ Name of Billing Contact Person _____ Telephone _____ Date of Service _____

Please use the universal UB invoice with back up documentation, including the services provided, medical record and appropriate medical coding. This form must be attached to UB invoice. Failure to provide all requested information will result in denial of payment. When completed, please mail these documents to:

New Hampshire Victims' Compensation Program
Office of the Attorney General
33 Capitol Street
Concord, NH 03301
Telephone: 603-271-1284
victimcomp@doj.nh.gov

Note to provider: Be sure that your billing department has a copy of this completed Billing Form and instructions.

08/2020

Kit Tracking
System

EXAMPLE



Scan QR code or go to:
doj.nh.gov/kit-tracking
to update kit.
EVIDENCE KIT TRACKING
CODE:

ZPMS-UFMW ID: 999999



Scan QR code or go to:
doj.nh.gov/kit-lookup
EVIDENCE KIT TRACKING
CODE:

ZPMS-UFMW

Tear off and give to patient

Privacy



- Forensic Nurses: Paper Documentation, ROI flag
- EMR: “Unshare” note
- If safety issue at work: FYI “restricted encounter”

“Unshare” notes for safety! - EPIC EMR Example



The screenshot displays the 'Edit Note' interface in the EPIC EMR system. On the left, a sidebar contains navigation options: 'Notes' (with a dropdown arrow and a wrench icon), 'Show My Notes' (with a checkbox and a 'More' dropdown), 'H&P', and 'DC Summaries' (with a dropdown arrow). Below these is a decorative graphic of an ambulance. The main content area is titled 'Edit Note' and features a 'My Note' section with the following fields and controls:

- My Note** (purple header)
- Tag** (dropdown menu)
- Share w/ Patient** (purple button with a heart icon)
- Details** (dropdown arrow)
- Type:** (text field with a red exclamation mark icon and a search icon)
- Service:** (text field containing 'Nursing' and a search icon)
- Date of Service:** (text field containing '4/2/2021' and a calendar icon)
- Time:** (text field containing '05:15 PM' and a clock icon)
- Cosign Required** (checkbox)
- Summary:** (text area)
- Rich Text Editor:** A toolbar with icons for bold (B), italic (I), underline (U), strikethrough (ABC), undo, redo, insert SmartText, link, unlink, list, indent, outdent, refresh, and a person icon.

EPIC EMR Example



Reason for Blocking [X]

Provide the most appropriate reason why this note should be blocked from the patient.

- Risk to Life or Physical Safety of Patient
- Patient/Proxy Request not to share
- Adolescent Confidential Communication or Protected Treatment
- Risk of Substantial Harm to Another Individual
- Information Obtained from Confidential Source
- Part of a research study

Comments

[Empty text box]

Select a reason to accept. [Accept] [Cancel]

JANET C. ASAP

Tag Share w/ Patient Details

Service: Nursing

2/2021 05:15 PM

Insert SmartText

Crisis Center Advocates



- ✓ Complement the effective intervention of health care.
- ✓ Are victim-centered in everything they do.
- ✓ Brainstorm and provide options available and do safety planning based on the individual's choices/situation.
- ✓ Provide access to advocacy, support, and resources.
- ✓ Are CONFIDENTIAL.

Crisis Center advocates can not acknowledge that they are providing services to any victims of domestic or sexual violence without a release by that victim.
(NH RSA 173-C)

Crisis Center Advocate



- 24-hour access to shelter
- 24-hour accompaniment to hospital & police
- 24-hour support and information hotline
- Assistance in obtaining protective orders
- Advocacy in systems and support in their navigation
- Help creating a safety plan for the family
- One-to-one support and support groups
- Professional training and educational programs
- Confidential consultation
- Systems work in communities

National Hotlines



- National Sexual Assault Hotline:
 - 800-656-4673
- National Domestic Violence Hotline:
 - 800-799-7233
- Connecticut: CT Alliance to End Sexual Violence 888-999-5545
- Maine: ME Coalition to End Domestic Violence 866-834-4357
- Massachusetts: <https://www.mass.gov/doc/find-a-rape-crisis-center/download>
- New Hampshire: NH Coalition Against Domestic & Sexual Violence 866-644-3574
- Rhode Island: RI Coalition Against Domestic Violence 800-494-8100
- Vermont: VT Network 800-489-7273

Victims Compensation



- Varies by state: If eligible & how much
- Patient needs to apply
- Assists with paying for out-of-pocket costs associated with the assault.

Follow-Up



- Crisis center advocate
- PCP or provider of choice
- If on nPEP: hopefully an ID provider
- Mental health counseling is encouraged
- SANE Repeat evaluation PRN
- Call 911 if feeling unsafe or in danger
- How to report if anonymous

Joke Time

Two peanuts went walking down the street. One was assaulted.

My toddler is refusing to nap. He's guilty of resisting a rest.



Thank you!



JANET CARROLL RN, CEN, SANE-A, SANE-P

JANET@NHCADSV.ORG

(603) 715-8804 WORK CELL